

## Section 1: Product and Company Identification

**Absolute Accuracy**  
4591 S Wayside Dr  
Houston, TX 77087  
(832) 571-2387

Product Code: 2932

**Synonyms:** n/a  
**Recommended Use:** CALIBRATION GAS  
**Usage Restrictions:** INDUSTRIAL CALIBRATION GAS ONLY

## Section 2: Hazards Identification



### Warning

#### Hazard Classification:

Acute Aquatic Toxicity (Category 1)  
Eye Effects (Category 2.A)  
Gases Under Pressure  
Specific target organ toxicity (Single Exposure) (Category 3)

#### Hazard Statements:

Causes serious eye irritation  
Contains gas under pressure; may explode if heated  
May cause respiratory irritation;  
Very toxic to aquatic life

#### Precautionary Statements

##### Prevention:

Avoid breathing dust/fume/gas/mist/ vapors/spray.  
Wash thoroughly after handling.  
Wear eye protection/face protection.  
Use only outdoors or in a well-ventilated area.  
[In case of inadequate ventilation] wear respiratory protection.

##### Response:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a poison center or doctor if you feel unwell.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.

##### Storage:

Store locked up.  
Protect from sunlight.  
Store in a well-ventilated place. Keep container tightly closed.

**Disposal:**

Dispose of contents and/or container in accordance with applicable regulations.

## Section 3: Composition/Information on Ingredients

	CAS #	Concentration
<b>Chlorine</b>	7782-50-5	12PPM
<b>Nitrogen</b>	7727-37-9	balance

	Chemical Substance	Chemical Family	Trade Names
<b>Chlorine</b>	CHLORINE	Halogens	CHLORINE MOLECULAR; DIATOMIC CHLORINE; DICHLORINE; MOLECULAR CHLORINE; UN 1017; Cl2
<b>Nitrogen</b>	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2

## Section 4: First Aid Measures

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
<b>Chlorine</b>	Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.	Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Not likely route of exposure.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen. Avoid gastric lavage or emesis.
<b>Nitrogen</b>	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

## Section 5: Fire Fighting Measures

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
<b>Chlorine</b>	Non-flammable. Use appropriate extinguishing media for surrounding fire.	Non-flammable	<ul style="list-style-type: none"> <li>▪ Full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus</li> <li>▪ Non-flammable.</li> </ul>

	<b>Suitable Extinguishing Media</b>	<b>Products of Combustion</b>	<b>Protection of Firefighters</b>
<b>Nitrogen</b>	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	<ul style="list-style-type: none"> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> </ul>

## Section 6: Accidental Release Measures

	<b>Personal Precautions</b>	<b>Environmental Precautions</b>	<b>Methods for Containment</b>
<b>Chlorine</b>	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Evacuate area and downwind locations.	Avoid contact with combustible materials.	Stop leak if possible without personal risk. Reduce vapors with water spray. Dig holding area such as lagoon, pond or pit for containment. Trap spilled material at bottom in deep water pockets, excavated holding areas or within sand bag barriers.
<b>Nitrogen</b>	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	No significant effects from contamination expected.	Stop leak if possible without personal risk.

	<b>Methods for Cleanup</b>	<b>Other Information</b>
<b>Chlorine</b>	Collect runoff for disposal as potential hazardous waste. Dike for later disposal. Absorb with sand or other non-combustible material. Add an alkaline material (lime, crushed limestone, sodium bicarbonate, or soda ash). Add an alkaline material (lime, crushed limestone, sodium bicarbonate, or soda ash). Absorb with activated carbon. Collect spilled material using mechanical equipment.	Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).
<b>Nitrogen</b>	N/A	N/A

## Section 7: Handling and Storage

	<b>Handling</b>	<b>Storage</b>
<b>Chlorine</b>	Notify State Emergency Response Commission for storage or use at amounts greater than or equal to the TPQ (U.S. EPA SARA Section 302). SARA Section 303 requires facilities storing a material with a TPQ to participate in local emergency response planning (U.S. EPA 40 CFR 355.30).	Store and handle in accordance with all current regulations and standards. Protect from physical damage. Keep separated from incompatible substances. Store outside or in a detached building.
<b>Nitrogen</b>	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	Keep separated from incompatible substances.

## Section 8: Exposure Controls/Personal Protection

	<b>Exposure Guidelines</b>
<b>Chlorine</b>	CHLORINE: 1 ppm (3 mg/m <sup>3</sup> ) OSHA ceiling 0.5 ppm (1.5 mg/m <sup>3</sup> ) OSHA TWA (vacated by 58 FR 35338, June 30, 1993) 1 ppm (3 mg/m <sup>3</sup> ) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 0.5 ppm ACGIH TWA 1 ppm ACGIH STEL 0.5 ppm (1.45 mg/m <sup>3</sup> ) NIOSH recommended ceiling 15 minute(s)
<b>Nitrogen</b>	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)

## Engineering Controls

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
<b>Chlorine</b>	Wear splash resistant safety goggles with a face shield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	Wear appropriate chemical resistant clothing.	Full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus
<b>Nitrogen</b>	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.

## General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

## Section 9: Physical and Chemical Properties

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
<b>Chlorine</b>	Gas	Yellow or green	Yellow or green	N/A	Gas	Distinct odor, irritating odor	N/A
<b>Nitrogen</b>	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
<b>Chlorine</b>	Not combustible (does not burn). However, chlorine is a strong oxidizing agent and is a serious fire risk.	Not available	Not available	Not available	Not available	Not available
<b>Nitrogen</b>	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	pH	Odor Threshold	Evaporation Rate	Viscosity
<b>Chlorine</b>	-29.1 F (-33.97 C)	-150 F (-101 C)	5168 mmHg @ 21 C	2.49 (Air=1)	Not applicable	1.46% @ 0 C	Not applicable	0.01 ppm	Not applicable	0.01327 cP @ 20 C
<b>Nitrogen</b>	-321 F (-196 C)	-346 F (-210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applicable	Not available	Not applicable	0.01787 cP @ 27 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
<b>Chlorine</b>	70.906	Cl <sub>2</sub>	3.214 g/L @ 0 C	Not available	100%	Not applicable	Soluble: Alkali
<b>Nitrogen</b>	28.0134	N <sub>2</sub>	1.2506 g/L	Not available	100%	1	Soluble: Liquid ammonia

## Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
<b>Chlorine</b>	Stable at normal temperatures and pressure. It reacts with water to form a weak, highly corrosive solutions of hydrochloric acid and hypochlorous acid, which can decompose to hydrochloric acid and oxygen.	Stable at normal temperatures and pressure. It reacts with water to form a weak, highly corrosive solutions of hydrochloric acid and hypochlorous acid, which can decompose to hydrochloric acid and oxygen.	Combustible materials, bases, metals, halogens, metal salts, reducing agents, amines, metal carbide, metal oxides, oxidizing materials, halo carbons, acids
<b>Nitrogen</b>	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Metals, oxidizing materials

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
<b>Chlorine</b>	Corrosive hydrogen chloride, hydrochloric acid and hypochlorous acid.	Will not polymerize.
<b>Nitrogen</b>	Oxides of nitrogen	Will not polymerize.

## Section 11: Toxicology Information

### Acute Effects

	Oral LD50	Dermal LD50	Inhalation
<b>Chlorine</b>	0.86 mg/L (1 hr-Rat)	Not available	Burns, chest pain, difficulty breathing, headache, dizziness, hyperactivity, emotional disturbances, bluish skin color, lung damage, death
<b>Nitrogen</b>	Not available	Not available	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma

	Eye Irritation	Skin Irritation	Sensitization
<b>Chlorine</b>	Burns	Burns	Acute toxicity, Category 2, inhalation; H330: Fatal if inhaled. Skin irritation, Category 2; H315: Causes skin irritation. Eye irritation, Category 2; H319: Causes serious eye irritation. Specific Target Organ Toxicity (single exposure), Category 3; H335: May cause respiratory irritation.
<b>Nitrogen</b>	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing

### Chronic Effects

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
<b>Chlorine</b>	ACGIH: A4 -Not Classifiable as a Human Carcinogen	Available.	Available.	No data
<b>Nitrogen</b>	Not hazardous	Not available	Not available	No data

## Section 12: Ecological Information

### Fate and Transport

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
<b>Chlorine</b>	Fish toxicity: LC50 Fathead minnow: 0.07 to 0.15 (96 hour); 390 ug/L 96 hour(s) LC50 (Mortality) Orangethroat darter (Etheostoma)	The atmospheric half-life and lifetime of this material due to photolysis is estimated at 10 and 14 minutes, respectively. The half-life of free resid	Not expected	Not available

	spectabile) Invertebrate toxicity: 637.5 ug/L 1 hour(s) LC50 (Mortality) Pacific oyster (Crassostrea gigas) Algal toxicity: 50- 1000 ug/L 23 hour(s) (Population) Algae, phytoplankton, algal mat (Algae) Phyto toxicity: Not available Other toxicity: 20 ug/L 96 day(s) (Growth) Water- milfoil (Myriophyllum spicatum)			
<b>Nitrogen</b>	Fish toxicity: Not available Invertebrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

## Section 13: Disposal Considerations

<b>Chlorine</b>	Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001. Dispose in accordance with all applicable regulations.
<b>Nitrogen</b>	Dispose in accordance with all applicable regulations.

## Section 14: Transportation Information

### U.S. DOT 49 CFR 172.101

#### DOT Information For This Mixture

<b>Shipping Name</b>	Compressed gas, n.o.s. (Nitrogen, Chlorine)
<b>UN Number</b>	UN1956
<b>Hazard Class</b>	2.2
<b>Hazard Information</b>	Non-Flammable Gas

#### Individual Component Information

	<b>Proper Shipping Name</b>	<b>ID Number</b>	<b>Hazard Class or Division</b>	<b>Packing Group</b>	<b>Labeling Requirements</b>	<b>Passenger Aircraft or Railcar Quantity Limitations</b>	<b>Cargo Aircraft Only Quantity Limitations</b>	<b>Additional Shipping Description</b>
<b>Chlorine</b>	Chlorine	UN1017	2.3	Not applicable	2.3; 8	Forbidden	Forbidden	Toxic-Inhalation Hazard Zone B

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
<b>Nitrogen</b>	Nitrogen, compressed	UN1066	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A

### Canadian Transportation of Dangerous Goods

	Shipping Name	UN Number	Class	Packing Group / Risk Group
<b>Chlorine</b>	Chlorine	UN1017	2.3; 8	Not applicable
<b>Nitrogen</b>	Nitrogen, compressed	UN1066	2.2	Not applicable

## Section 15: Regulatory Information

### U.S. Regulations

	CERCLA Sections	SARA 355.30	SARA 355.40
<b>Chlorine</b>	10 LBS RQ	100 LBS TPQ	10 LBS RQ
<b>Nitrogen</b>	Not regulated.	Not regulated.	Not regulated.

### SARA 370.21

	Acute	Chronic	Fire	Reactive	Sudden Release
<b>Chlorine</b>	Yes	No	No	No	Yes
<b>Nitrogen</b>	Yes	No	No	No	Yes

### SARA 372.65

<b>Chlorine</b>	CHLORINE
<b>Nitrogen</b>	Not regulated.

### OSHA Process Safety

<b>Chlorine</b>	1500 LBS TQ
<b>Nitrogen</b>	Not regulated.

### State Regulations

	CA Proposition 65
<b>Chlorine</b>	Not regulated.
<b>Nitrogen</b>	Not regulated.

### Canadian Regulations

	WHMIS Classification
<b>Chlorine</b>	A, D1A, E
<b>Nitrogen</b>	A

### National Inventory Status

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
<b>Chlorine</b>	Listed on inventory.	Not listed.	Not determined.
<b>Nitrogen</b>	Listed on inventory.	Not listed.	Listed on inventory.

## Section 16: Other Information

	<b>NFPA Rating</b>
<b>Chlorine</b>	HEALTH=4 FIRE=0 REACTIVITY=0 SPECIAL=OX
<b>Nitrogen</b>	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard